THE SPLASH LAB

Restroom Products **2023**



We believe the future is personal

With a global mindset, we challenge conventional restroom norms.
We achieve this via product innovation to create considered bathroom solutions for corporate, commercial, public, and hospitality spaces. We use rich raw materials, cutting-edge automation, and modular systems to powerfully and positively influence the lives of people and the planet. **We are The Splash Lab.**



Contents

Basin Systems **09**

The Monolith 11
Custom 17
The Aerofoil 21
Finishes 24

Collections **27**

The Ribbon 29
The Channel 35
The Radius 41

All Sinks **49**

The Monolith 50
The Aerofoil 51
Pipeskirts 51

All Fixtures **53**

Faucets 54
Soap dispensers 55

All Hand drying **57**

Motor powered 58
Paper towels 59

All Accessories **61**

Accessories 62

Projects **67**

Grand + Nash 68
DFW Airport 72
Movement Society 76

Technical Index **81**

The Monolith - A Series 83
The Monolith - B Series 87
The Monolith - C Series 91
The Monolith - D Series 95
The Aerofoil 99

Faucets 101
Soap dispenser 104
Hand drying 106
Accessories 110

Contact **116**



All things considered.

Craftsmanship
We use cutting edge technology and traditional hand-finishing techniques to arrive at truly innovative products that are refined in even the smallest detail.

Collaboration
We empower architects to design timeless bathroom architecture that answers the needs of today and imagines the restroom of our best possible future.


Innovation
Our exploratory spirit continually challenges restroom norms for an intelligent, efficient, and refreshing experience in an often-used and little considered space.

Systems
Our collections are systematized so that each product works in efficient concert with the others, allowing us to offer a comprehensive, but curated product line. These modular collections in turn work together for an effortless, cohesive specification.

Materials
Details shape our experience. We use rich raw materials to create quality products harnessing the durability and beauty of nature alongside man-made materials at the forefront of innovation and efficiency.

People and the planet

In many ways, the restroom is a locus of contemporary design concerns. Sanitation, privacy, social norms, resource conservation, and accessibility are all key vectors on the built environment that converge in this vital space and inform our product range.



Well-being

Healthy spaces
We have innovated the hand-washing experience to be cleaner, safer, and easier through sensor technology and modular systems.

Happy people
Our full range of collections are ADA compliant, intuitive to use, and promote a soothing auditory environment.

Considered design
TSL products and services enable designers to create beautiful bathroom architecture that leaves users feeling respected and refreshed.

Sustainability

Composition
Our high-quality steel fixtures have robust recycling prospects. Solid surface sinks have a low VOC output, contribute to LEED points, and are more repairable than alternatives like porcelain, concrete, or stone.

Circular economy
Timeless design and durable construction are key pillars of the circular economy, ensuring that products stay relevant and effective for years to come.

Ongoing support
The Splash Lab is committed to extending the life cycle of our products by offering technical support in perpetuity.



Basin systems

09 The Monolith

15 Custom

19 The Aerofoil

22 Finishes



The Monolith

Specified in modules, made in one piece. A highly configurable, modular sink system for commercial restrooms, The Monolith is seamless on the outside, clever on the inside, and simple to specify. The system harnesses the power of “controlled customization” to offer stock variations with ADA compliance and a minimalist aesthetic.

A modular system
Controlled customization offers the greatest flexibility with built-in approvals and standardized installation. Sinks are tailored to their environment without the time or cost of bespoke design.

A holistic approach
The Splash Lab designs systems rather than products. Each carefully considered product exists in a larger ecosystem to ensure a seamless user experience.

An unparalleled material
Solid surface is easy to clean, maintain, and repair. It is LEED compliant and offers a limitless range of finishes for total freedom of expression. Approximate the look of concrete, marble, terrazzo, or granite without inconvenient maintenance.

One-trade install
A painless install with no onsite coordination necessary.

No woodwork
Our proprietary bracket system is fabricated in steel to remove the risk of warping or the need for custom joinery.

Transparent pricing
Our modular specification approach allows accurate, up-front pricing with no hidden costs down the line.

Made in North America
Our sinks are CNC-machined and finished by hand in dedicated workshops in Los Angeles and British Columbia.

Accountability
The Monolith comes with a ten-year warranty.

Specifications

Materials	Basin: Solid surface Brackets: Powder-coated steel
Lengths	One, two, three, or four users (up to 156”)
Standard finish	Glacier White Corian™ Any solid surface brand colorway available upon request.
Installation requirements	Steel or timber frame wall constructed appropriately for the frame assembly.

Approvals

IPC	2009, 2012, 2015,2018, 2021
IRC	2009, 2012, 2015,2018
UPC	2009, 2102, 2015, 2018, 2021
NPC	2005, 2010. 2015
CSA	B45.5
IAPMO	Z124-2107
ADA	Compliant when installed correctly
LEED	v.4.1

Finishes / codes

Please scan the QR code to configure the relevant product code.
See finishes guide on *page 25* for more details on choosing a solid surface.



Accessories

Brackets	The Monolith has a proprietary bracket system that invisibly supports the basin within proven load bearings and flex tolerances. This allows for easy, one-trade installation and eliminates the need for complex subframes and joinery.
Pipeskirts	Pipeskirts ensure ADA compliance and conceal the under-basin elements, reducing the need for complex access panels or unsightly pipe insulators. While optional, a precisely fit pipeskirt is available for the full range of sink variants. Optional side skirts create a seamless look from all angles if the sink area is not walled in. **Angled pipe skirts compatibility:** A Series + B Series **Straight pipe skirts compatibility:** All series
Pipeskirt Finishes	Available in 3 powder coat finishes to coordinate with most restroom aesthetics.



Gloss white



Matte black



Brushed stainless



Choose your size

	A series A trough sink for deck-mounted fixtures	**B series** A divided sink for deck-mounted fixtures	**C series** A trough sink for wall-mounted fixtures	**D series** A divided sink for wall-mounted fixtures
Single user	 A.30 **30”**	 B.38 **38”**	 C.30 **30”**	 D.48 **48”** with central sink
2 users	 A.60 **60”**	 B.64 **68”**	 C.60 **60”**	 D.84 **84”**
3 users	 A.90 **90”**	 B.100 **100”**	 C.90 **90”**	 D.120 **120”**
4 users	 A.120 **120”**	 B.136 **136”**	 C.120 **120”**	 D.156 **156”**




Custom


We've made customization simple and efficient by harnessing the power of modular systems. Together, we execute your design and ensure the final product meets codes and compliances. Our expertise alleviates the typical concerns about impractical installation and maintenance of custom units.

Add features
We can add company branding, accommodate hardware into your design, or build special features to enhance your sink. These are some commonly added features but if you can dream it, we can build it. Complete the quote form above to share your designs with our team.




Add your branding



Waste chute



Backsplashes and consoles



Legs and pedestals


Countertops and dividers


Coved edges


Baby changing stations


Multiple solid surface colors



The custom process

01. Review and quotation

Our production team reviews initial plans or drawings and generates a quote: 7 business days.* At the end of this phase, you will receive an official quote and technical drawings.

02. Design review Round 1

7-10 business days

0.3 Design review Round 2

7-10 business days

04. Final sign-off and invoicing

05. Fabrication

8-10 weeks †

Kindly keep in mind that bespoke design takes time. Our custom process was created to ensure that your project stays on schedule while allowing our team ample time to respond.

* Subject to extension if additional input is needed.
† Production will not begin until all drawings are signed off and payment is received.

Read more about custom solutions at Dallas-Fort Worth International Airport on page 72



The Aerofoil

Cut through the noise. Stunning minimalism backed by rigorously developed design, The Aerofoil is a floating sink named for the wing of an airplane. Like its aerodynamic namesake, the basin cuts through the superfluous leaving a single-plane sink supported by a proprietary extruded frame system fully concealed behind a finished wall.

Unlike any other
TSL developed and designed every aspect of The Aerofoil, from the recessed drainage to its long-refined, extruded frame that supports the sink to rigorous standard. The resulting product is unlike any other available for the commercial space.

Calculated support
The proprietary frame was developed for an impressive tensile strength of 330 lbs. per 30 in². The static weight load increases as the sink gets longer.

No spills
Rigorously tested for water containment and drainage efficacy. The 10° angled washplane is calculated to intersect water flow for minimized splashing. Used with a faucet with a ≤0.5 GPM flow rate, water stays within the plane of the sink and flows easily into the drain.

A modular system
The Aerofoil's modular system creates code-compliant units that can be quickly and easily compounded to fit any project, with a rare and deceptively simple aesthetic.

Any finish, one price
Design this rigorously refined focuses all attention on the washplane. Now more than ever, the perfect color and texture are essential. Our transparent pricing for The Aerofoil extends to any available solid surface finish, regardless of manufacturer cost.

Available in any solid surface finish. Please refer to manufacturers for current offerings or *see page 25* for more information on finishes.

Specifications

Materials	Frame: Steel, aluminum, PVC Washplane: Solid surface
Tensile strength	330 lbs. per 30 in² of washplane surface
Basin height	Leading edge should be at 34" when installed correctly.
Installation requirements	Steel or timber frame wall constructed appropriately for the frame assembly.


Approvals

IRC	2021, 2018, 2015, 2012 and 2009
IPC	2021, 2018, 2015, 2012 and 2009
NPC	2015, 2010 and 2005
ADA/DDA	Compliant when installed correctly
WELL	Properly installed, can contribute to Materials and Water standards
LEED	Solid surface products contribute to LEED v.4 points for Indoor Air Quality
BREEAM	Low VOC solid surface products can contribute to BREEAM rating

Related collections



The Radius Collection Elegant wall-mounted fixtures - *see page 41*



The Channel Collection A wall-mounted collection with access plate - *see page 35*



Access requirements

Solenoid and isolation valves must be accessible for initial installation and commissioning and for ongoing and routine maintenance. TSL recommends designers allow for access both above and below the washplane. Use **The Aerofoil** with **The Channel Collection** fixtures and faceplate for a compatible access pairing.

Available lengths

30"
1 user
TSL.AERO1



60"
2 users
TSL.AERO2



90"
3 users
TSL.AERO3



120"
4 users
TSL.AERO4



Finishes

The Splash Lab's sinks can be fabricated in your choice of finish from any commercially available surface brand including, but not limited to Corian, Meganite, Formica, Avonite, Wilsonart, and Krion. Our sinks are CNC-machined and hand finished at facilities in Los Angeles and British Columbia. Glacier White Corian, our most common specification, is available as a stock item with a shorter lead time than other finishes.

We use stainless steel as the basis for all our fixtures and accessories

- Brushed
- Polished

PVD

- Brushed black
- Brushed copper
- Brushed brass

Powder coat

- Gloss white
- Matte black

PVD

PVD, or Physical Vapor Deposition, is a process for finishing metal by which pigmented titanium ions are deposited into the surface via vacuum chamber. The process reduces waste and increases the durability of the metal. The Splash Lab offers three PVD finishes, as well as brushed or polished stainless steel, across our fixture line.

Powder coat

Powder-coating is a cost-effective and durable means of coating metal with pigment. Our stainless steel pipeskirts can be specified in either white or black powder coat to offer coordination with most sink finishes and restroom aesthetics.

Samples

Full sample kits of solid surface are available direct from their manufacturers. However, we are happy to facilitate individual sample requests. For any such inquiries, or to obtain finish swatches for PVD, solid surface, or powder coating please contact us via email, **info.usa@thesplashlab.com**

Solid surface

Need some inspiration? The finishes here represent the current major trends for sink colorways.

Basics

Corian
Glacier White



Corian
Carbon Concrete



Wilsonart
Black Onyx Mirage

Wilsonart
Morning Ice



Corian
Pearl Gray


Corian
Bone

Nature



Meganite
Wheat Mist

Krion
Greggio



Wilsonart
Mink Concrete



Krion
Earth Nature



Wilsonart
French Blue Melange




Corian
Verdant

Veining

Wilsonart
Ice Statuario



HiMacs
Torano



Krion
Noce Atrio




Meganite
Mt Vancouver

Corian
Venaro White

Corian
Gray Onyx

Terrazzo




Corian
Pebble Terrazzo




Formica
Bianco Mineral




Corian
Basalt Terrazzo



Formica
Argento Terrazzo Matrix




Meganite
Rosy Terrazzo



Meganite
Summer Beach


Bold



Avonite
New Caldron



Avonite
Amber Glass



Corian
Deep Night Sky



Meganite
Fire

Krion
Imperial Yellow



Krion
Navy Blue



Collections

27 The Ribbon

33 The Channel

39 The Radius



The Ribbon

Simply put, the most beautiful system of its kind.
An award-winning trio of touch-free fixtures that offers a modern, intuitive solution to the flow of the restroom experience. Specified individually the Ribbon fixtures can be arranged according to the needs of any space. The first of its kind, deck-mounted hand dryer has the distinction of improving the restroom experience across three key variables: sanitation, safety, and convenience.

The original
TSL innovated the over-basin dryer as a simple solution to keep water off floors.

A win-win situation
Increase user flow in the restroom while reducing water, soap, and paper waste.

Scale up
The Ribbon can be specified in two or three fixture sets with multi-feed soap systems, offering easy solutions for high-traffic restrooms.

Beautifully touch free
Reliable IR sensors placed in front of the dispensing point trigger in a single, intuitive gesture.

Looking forward
The innovative research behind The Ribbon Collection demonstrates TSL's commitment to pushing design into the future.

Accountability
The Ribbon Collection has a one-year warranty on parts and labor.



The Ribbon Soap Dispenser
A sensor-activated soap dispenser for foam soap



The Ribbon Faucet
A sensor-activated faucet that earns LEED points for water efficiency



The Ribbon Hand Dryer
A sensor-activated hand dryer with acoustic insulation

Specifications	
Materials	AISI 304 stainless steel
Soap dispenser	Foam soap ≤100 cPs
Faucet	Cascade aerator; 0.35 or 0.5 GPM flow rate
Hand dryer	≤15 second drying time, 70.6 dB
Sensor range	5 inches ±1inch
Power	Mains with optional battery adaptor; mains only for hand dryer

Approvals

Product code	Approvals
TSL.R.010	CE, UL, cUL, RoHS, ADA
TSL.R.020	ADA / ASME A112.18.1 / CSA 8125.1-2018, NSF/ANSI 61-2017 / NSF/ANSI 3 72-2016 / IPC 2018, 2015, 2012 and 2009 / IRC 2018, 2015, 2012 and 2009 / UPC 2018, 2015, 2012 and 2009 / NPC 2015, 2010 and 2002 / EED.v4 Compliant for assessment for Water Saving and Efficiency / BREEAM 5 credits
TSL.R.030	CE, UL, cUL, RoHS, ADA

Finishes and codes

Finishes	Soap dispenser	Faucet	Hand dryer
Brushed stainless	TSL.R.010.CS	TSL.R.020.CS	TSL.R.030.CS
Polished	TSL.R.010.C	TSL.R.020.C	TSL.R.030.C
Black	TSL.R.010.BK	TSL.R.020.BK	TSL.R.030.BK
Brass	TSL.R.010.BR	TSL.R.020.BR	TSL.R.030.BR
Copper	TSL.R.010.CP	TSL.R.020.CP	TSL.R.030.CP




Accessories

Etching	Optional etched icons on each fixture allow further clarification of the user journey without detracting from the purity of the design.
Soap systems	Soap Systems facilitate maintenance and supply in high traffic restrooms by joining multiple soap dispensers to a single reservoir. **Multi-Feed** Supply up to six soap dispensers from a single reservoir for easy maintenance and consistent soap supply. **Supply Signals** Flashing lights clearly indicate to facility staff when soap levels are low.


Related collections



The Monolith Basin A Series - *see page 15*



The Monolith Basin B Series - *see page 15*



The Channel

Simplicity and strength. The Splash Lab challenged the aesthetic of a best-selling legacy collection to create three touch-free fixtures with graduated sizes to guide the user through an intuitive hand-washing experience. The result is a superlative design that is equally minimalist, scalable, and intelligent.

Design for designers
As specification of wall-mounted fixtures increases, The Channel fulfills a need for space-saving design that reduces errant water in the restroom space.

Trusted technology, redefined
The same technology inside the award-winning Ribbon Collection is reimagined for wall-mounted fixtures.

Beautifully touch free
Reliable IR sensors placed in front of the dispensing point trigger in a single, intuitive gesture.

Simply versatile
Elegant enough for boutique installations and small spaces; efficient enough for high-traffic restrooms.

Easy access
Optional access panel offers a simple solution benefiting installers and users alike.

Accountability
The Channel Collection has a one-year warranty on parts and labor.



The Channel Soap Dispenser
A sensor-activated soap dispenser for foam soap



The Channel Faucet
A sensor-activated faucet that earns LEED points for water efficiency



The Channel Hand Dryer
A sensor-activated hand dryer with smart temperature control

Specifications	
Materials	AISI 316 marine grade stainless steel
Soap dispenser	Foam soap ≤100 cPs
Faucet	Cascade aerator; 0.35 or 0.5 GPM flow rate
Hand dryer	≤15 second drying time, 68.6 dB
Sensor range	5 inches ±1 inch
Power	Mains with optional battery adaptor; mains only for hand dryer

Approvals

Product code	Approvals
TSL.C.040	CE, UL, cUL, RoHS, ADA
TSL.C.050	ADA / ASME A112.18.1 / CSA 8125.1-2018, NSF/ANSI 61-2017 / NSF/ANSI 3 72-2016 / IPC 2018, 2015, 2012 and 2009 / IRC 2018, 2015, 2012 and 2009 / UPC 2018, 2015, 2012 and 2009 / NPC 2015, 2010 and 2002 / EED.v4 Compliant for assessment for Water Saving and Efficiency / BREEAM 5 credits
TSL.C.060	CE, UL, cUL, RoHS, ADA

Finishes and codes

Finishes	Soap dispenser	Faucet	Hand dryer
Brushed stainless	TSL.C.040.CS	TSL.C.050.CS	TSL.C.060.CS
Polished	TSL.C.040.C	TSL.C.050.C	TSL.C.060.C
Black	TSL.C.040.BK	TSL.C.050.BK	TSL.C.060.BK
Brass	TSL.C.040.BR	TSL.C.050.BR	TSL.C.060.BR
Copper	TSL.C.040.CP	TSL.C.050.CP	TSL.C.060.CP



Accessories

Faceplate	An optional faceplate in a coordinating finish allows easy access to in-wall components and etched symbology indicating the functionality of each fixture. Available for the two-fixture or three-fixture set.
Soap systems	Soap Systems facilitate maintenance and supply in high traffic restrooms by joining multiple soap dispensers to a single reservoir. **Multi-Feed** Supply up to six soap dispensers from a single reservoir for easy maintenance and consistent soap supply. **Supply Signals** Flashing lights clearly indicate to facility staff when soap levels are low.

Related collections



The Monolith Basin C Series - *see page 15*



The Monolith Basin D Series - *see page 15*



The Radius

Slim, aesthetic, market-leading, and technologically advanced, The Radius Collection is a complete vision for the commercial restroom, with both deck- and wall-mounted fixtures supported by a full complement of accessories. The range is designed around specific angles and ratios to present an effortless harmony with irrefutable proportions at its core.

Beauty by the numbers
Designed around the 30º angle and the Golden Ratio, TSL's Radius products elevate traditional utilitarian fixtures of a restroom to an experience of pure aesthetics.

A tough act to follow
Thoughtfully designed and rigorously tested, these concealed-fixing items present a cohesive face while being vandal resistant and minimalist. Hard-wearing yet sophisticated, Radius products are appropriate across many sectors, especially hospitality, museums, and retail installations.

High tech finishes
Four elegant PVD finishes (stainless steel impregnated with colored titanium ions) effect the look of certain metals while rendering surfaces more durable.

Beyond the basin
This comprehensive suite of products supplies the restroom with visually cohesive interaction points from the stall to the door and everywhere in between.





Wall-mounted soap dispenser	Deck-mounted soap dispenser
TSL.470.CS	TSL.420.CS
TSL.470.CP	TSL.420.CP
TSL.470.BK	TSL.420.BK
TSL.470.BR	TSL.420.BR
-	TSL.420.C







Wall-mounted sensor faucet	Deck-mounted faucet / large	Deck-mounted faucet / small
TSL.882.CS	TSL.960.CS	TSL.990.CS
TSL.882.CP	TSL.960.CP	TSL.990.CP
TSL.882.BK	TSL.960.BK	TSL.990.BK
TSL.882.BR	TSL.960.BR	TSL.990.BR
TSL.882.C	TSL.960.C	TSL.990.C






Slim wall-mounted hand dryer	Coat hook
TSL.3001.CS	TSL.974.CS
TSL.3001.CP	TSL.974.CP
TSL.3001.BK	TSL.974.BK
TSL.3001.BR	TSL.974.BR





Single toilet paper holder	Double toilet paper holder
TSL.45.CS	TSL.46.CS
TSL.45.CP	TSL.46.CP
TSL.45.BK	TSL.46.BK
TSL.45.BR	TSL.46.BR



ADA grab bars

	18”	24”	36”	42”
	TSL.GR45.18.CS	TSL.GR45.24.CS	TSL.GR45.36.CS	TSL.GR45.42.CS
	TSL.GR45.18.CP	TSL.GR45.24.CP	TSL.GR45.36.CP	TSL.GR45.42.CP
	TSL.GR45.18.BK	TSL.GR45.24.BK	TSL.GR45.36.BK	TSL.GR45.42.BK
	TSL.GR45.18.BR	TSL.GR45.24.BR	TSL.GR45.36.BR	TSL.GR45.42.BR
	TSL.GR45.18.C	TSL.GR45.24.C	TSL.GR45.36.C	TSL.GR45.42.C

Specifications

Materials	AISI 304 stainless steel
Soap dispenser	Foam soap ≤100 cPs
Faucet	Cascade aerator; 0.35 or 0.5 GPM flow rate
Hand dryer	≤15 second drying time, 70.6 dB
Sensor range	5 inches ±1 inch
Power	Mains with optional battery adaptor; mains only for hand dryer

Approvals

Product code	Approvals
Faucets	ADA compliant; ASME A112.18.1/CA B125.1-2018, NSF/ANSI 61-2017 NSF/ANSI 372-2016, NSF/ANSI/CAN 61-2022International Plumbing Code (IPC) 2021, 2018, 2015, 2012 and 2009; International Residential Code (IRC) 2021, 2018, 2015, 2012 and 2009; Uniform Plumbing Code (UPC) 2021, 2018, 2015, 2012 and 2009; National Plumbing Code of Canada (NPC) 2020, 2015, 2010 and 2002; LEED.v4– Compliant for assessment for Water Saving and Efficiency
Electrical	CE, UL, RoHS, ADA,

Related collections



The Aerofoil - *see page 21*



The Monolith Basin C Series - *see page 15*



Accessories

Soap systems	Soap Systems facilitate maintenance and supply in high traffic restrooms by joining multiple soap dispensers to a single reservoir. **Multi-Feed** Supply up to six soap dispensers from a single reservoir for easy maintenance and consistent soap supply. **Supply Signals** Flashing lights clearly indicate to facility staff when soap levels are low.

Related collections



The Monolith Basin A Series - *see page 15*



The Monolith Basin C Series - *see page 15*



All Sinks

48 The Monolith
49 The Aerofoil
49 Pipeskirts

The Monolith



The Monolith - A Series	Finishes / codes
+ A trough sink for deck-mounted fixtures	TSL.MON.A
+ Choose fixture holes, length, and pipeskirts	
+ ADA and LEED compliant	
+ Brackets included	



The Monolith - B Series	Finishes / codes
+ A divided sink for deck-mounted fixtures	TSL.MON.B
+ Choose fixture holes, length, and pipeskirts	
+ ADA and LEED compliant	
+ Brackets included	



The Monolith - C Series	Finishes / codes
+ A trough sink for wall-mounted fixtures	TSL.MON.C
+ Choose fixture holes, length, and pipeskirts	
+ ADA and LEED compliant	
+ Brackets included	



The Monolith - D Series	Finishes / codes
+ A divided sink for wall-mounted fixtures	TSL.MON.D
+ Choose fixture holes, length, and pipeskirts	
+ ADA and LEED compliant	
+ Brackets included	

The Aerofoil



The Aerofoil Basin	Finishes / codes
+ Any finish, one price	TSL.AERO
+ Proprietary in-wall frame and drainage	
+ ADA and LEED compliant	
+ For use with wall-mounted fixtures	

Pipeskirts



Straight pipeskirt	Finishes / codes
+ Magnetic closure	○ SS
+ Brackets included	○ WH
+ For use with: Monolith A, B, C, and D series	● BK
+ Stainless steel	
+ Optional powder coat finishes	
+ ADA compliant	



Angled pipeskirt	Finishes / codes
+ Magnetic closure	○ SS
+ Brackets included	○ WH
+ For use with: Monolith A and B series	● BK
+ Stainless steel	
+ Optional powder coat finishes	
+ ADA compliant	



All Fixtures

52 Faucets

53 Soap dispensers

Faucets

Wall mounted



The Channel Faucet

Finishes / codes
TSL.C.050.BK
TSL.C.050.BR
TSL.C.050.C
TSL.C.050.CP
TSL.C.050.CS

+ Sensor operated
+ 0.35 and 0.5 GPM
+ Matching soap dispenser and hand dryer
+ Marine-grade stainless steel (AISI 316)
+ Optional access plate

Learn more about **The Channel Collection** on *page 35.*



The Radius Faucet

Finishes / codes
TSL.882.BK
TSL.882.BR
TSL.882.C
TSL.882.CP
TSL.882.CS

+ Sensor operated
+ Matching soap dispenser and accessories
+ Elegant golden ratio design
+ Battery or mains power

Learn more about **The Radius Collection** on *page 41.*

Deck mounted



Radius Sensor Faucet / Large

Finishes / codes
TSL.960.BK
TSL.960.BR
TSL.960.C
TSL.960.CP
TSL.960.CS

+ Sensor operated
+ Elongated water column for accessible handwashing
+ Mains or battery power
+ Complementary soap dispenser

Learn more about **The Radius Collection** on *page 41.*



Radius Sensor Faucet / Small

Finishes / codes
TSL.990.BK
TSL.990.BR
TSL.990.C
TSL.990.CP
TSL.990.CS

+ Sensor operated
+ Mains or battery power
+ Complementary soap dispenser
+ Compact design for small spaces

Learn more about **The Radius Collection** on *page 41.*



The Ribbon Faucet

Finishes / codes
TSL.R.020.BK
TSL.R.020.BR
TSL.R.020.C
TSL.R.020.CP
TSL.R.020.CS

+ Award-winning
+ Sensor operated
+ 0.35 and 0.5 GPM flow rate
+ Battery or mains power
+ Optional etched water icon available

Learn more about **The Ribbon Collection** on *page 29.*

Soap dispenser

Wall mounted



The Channel Soap Dispenser

Finishes / codes
TSL.C.040.BK
TSL.C.040.BR
TSL.C.040.C
TSL.C.040.CP
TSL.C.040.CS

+ Sensor operated
+ Matching faucet and hand dryer
+ Includes soap reservoir and lead
+ Compatible multi-feed and SMART soap systems
+ Marine-grade stainless steel (AISI 316)
+ Optional access plate

Learn more about **The Channel Collection** on *page 35.*



The Radius Soap Dispenser

Finishes / codes
TSL.470.BK
TSL.470.BR
TSL.470.CP
TSL.470.CS

+ Manual dispensing
+ Includes soap reservoir and lead
+ Matching faucet and accessories
+ Stainless steel housing (AISI 304)

Learn more about **The Radius Collection** on *page 41.*

Deck mounted



The Ribbon Soap Dispenser

Finishes / codes
TSL.R.010.BK
TSL.R.010.BR
TSL.R.010.C
TSL.R.010.CP
TSL.R.010.CS

+ Sensor operated
+ Includes soap reservoir and lead
+ Compatible multi-feed and SMART soap systems
+ Optional etched soap icon available.
+ Stainless steel housing (AISI 304)

Learn more about **The Ribbon Collection** on *page 29.*



Radius Sensor Soap Dispenser

Finishes / codes
TSL.420.BK
TSL.420.BR
TSL.420.C
TSL.420.CP
TSL.420.CS

+ Sensor operated
+ Includes soap reservoir and lead
+ Compatible multi-feed soap system
+ Stainless steel housing (AISI 304)
+ Two complementary faucet styles



All Hand Drying

56 Motor powered

57 Paper towels

Hand drying

Motor powered



The Ribbon Dryer

Finishes / codes

+ Sensor operated
+ Over-basin model
+ Optional etched drying icon available.
+ Award winning

- TSL.R.030.BK
- TSL.R.030.BR
- TSL.R.030.C
- TSL.R.030.CP
- TSL.R.030.CS

Learn more about **The Ribbon Collection** on *page 29*.



The Channel Dryer

Finishes / codes

+ Sensor operated
+ Over-basin model
+ Marine-grade stainless steel (AISI 316)
+ Optional access plate

- TSL.C.060.BK
- TSL.C.060.BR
- TSL.C.060.C
- TSL.C.060.CP
- TSL.C.060.CS

Learn more about **The Channel Collection** on *page 35*.




Radius Slim Wall-Mounted Dryer

Finishes / codes

+ IR sensor operated
+ Wall mounted
+ Matching Radius fixtures and accessories
+ ≤15 seconds drying time

- TSL.3001.BK
- TSL.3001.BR
- TSL.3001.CP
- TSL.3001.CS

Learn more about **The Radius Collection** on *page 41*.



Recessed Combination Unit / Dryer

Finishes / codes

+ Sensor operated
+ Wall mounted
+ Recessed installation
+ Matching paper towel and waste bin combination
+ Hidden lock

- TSL.LM9.CS



Air Fury Hand Dryer

Finishes / codes

+ Drying time 10 – 12 seconds
+ Wall mounted model
+ Noise level 77dB at 1m
+ Heating element 900W

- LR89.CS

Paper towels



Recessed Combination Unit / Paper

Finishes / codes

+ Recessed installation
+ Matching paper towel and waste bin combination
+ Hidden lock

- TSL.LM8.CS



Recessed Combination Unit / Waste

Finishes / codes

+ Recessed installation
+ Matching paper towel and waste bin combination
+ Hidden lock

- TSL.LM11.CS



Wall Mounted Paper Towel Dispenser

Finishes / codes

+ Wall-mounted
+ No recessed components
+ For commercial C-fold paper towels

- TSL.735.BK
- TSL.735.BR
- TSL.735.CP
- TSL.735.CS




All Accessories

60 Accessories

63 Soap

Accessories



Radius ADA Grab Bars

+ Coordinating finishes with TSL fixtures and accessories
+ Four lengths to meet ADA requirements

	18”	24”	36”	42”
○	TSL.GR45.18.CS	TSL.GR45.24.CS	TSL.GR45.36.CS	TSL.GR45.42.CS
●	TSL.GR45.18.CP	TSL.GR45.24.CP	TSL.GR45.36.CP	TSL.GR45.42.CP
●	TSL.GR45.18.BK	TSL.GR45.24.BK	TSL.GR45.36.BK	TSL.GR45.42.BK
●	TSL.GR45.18.BR	TSL.GR45.24.BR	TSL.GR45.36.BR	TSL.GR45.42.BR
●	TSL.GR45.18.C	TSL.GR45.24.C	TSL.GR45.36.C	TSL.GR45.42.C

Accessories



Radius Toilet Roll Holder / Single

+ Coordinating finishes with TSL fixtures and accessories
+ Discreet, anti-tampering hardware
+ Holds 1 roll of paper

Finishes / codes

- TSL.45.BK
- TSL.45.BR
- TSL.45.CP
- TSL.45.CS



Radius Toilet Roll Holder / Double

+ Coordinating finishes with TSL fixtures and accessories
+ Discreet, anti-tampering hardware
+ Holds 2 rolls of paper

Finishes / codes

- TSL.46.BK
- TSL.46.BR
- TSL.46.CP
- TSL.46.CS



Radius Coat Hook

+ Coordinating finishes with TSL fixtures and accessories
+ Discreet, anti-tampering hardware

Finishes / codes

- TSL.974.BK
- TSL.974.BR
- TSL.974.CP
- TSL.974.CS



Waste Receptacle

+ Matching in-stall accessories
+ Flush lock secures contents
+ Slim profile (<4”) meets ADA guidelines

Finishes / codes

- TSL.910.BK
- TSL.910.BR
- TSL.910.CP
- TSL.910.CS

Soap



Square Toilet Paper Dispenser

Finishes / codes

+ Matching in-stall accessories
+ Flush lock secures contents
+ Sized for commercial jumbo paper rolls

- TSL.842.BK
- TSL.842.BR
- TSL.842.CP
- TSL.842.CS




Toilet Seat Cover Dispenser

Finishes / codes

+ Matching in-stall accessories
+ Flush lock secures contents

- TSL.855.BK
- TSL.855.BR
- TSL.855.CP
- TSL.855.CS



Multi-feed Soap System / 2nd Generation

Finishes / codes

TK

+ Compatible with Ribbon and Channel collections
+ SMART option for IOT integration
+ Signal lights indicate low supply levels
+ Supplies up to six soap dispensers
+ 7L capacity



Luxury Blue Foam Soap
LFS-LB

+ 100 cPs
+ To use with auto-foaming soap dispenser



Jumbo Toilet Roll Holder

Finishes / codes

- TSL.787.CS

+ Wall-mounted housing
+ Cutout slot allows for easy supply monitoring.
+ Suitable for commercial-size “jumbo” rolls



Wall-Mounted Waste Bin

Finishes / codes

+ 25L waste capacity
+ Minimalist design
+ Radius corners for a refined aesthetic

- TSL.279.BK
- TSL.279.BR
- TSL.279.CP
- TSL.279.CS



Antibacterial Hand Soap
LFS-AB

+ 100 cPs
+ To use with auto-foaming soap dispenser



Hand Sanitizer
TSL.HH.3.1

+ FDA approved plant-base formation
+ To use with spray dispensers



Projects

66 Grand + Nash

70 DFW Airport

74 Movement Society



Grand + Nash
El Segundo, CA



Grand + Nash
El Segundo, CA

Architect HLW
Client Steelwave
Sector Office

The Project
Modernize and augment an existing building to create an open, amenity-rich office campus.

+ Design for sustainability and a low-carbon footprint
+ Prioritize employee well-being
+ Modern finishes suggesting a connection to nature

Products
+ The Monolith A Series sink in Corian Carbon Concrete
+ Angled pipe skirts in matte black
+ The Ribbon Collection soap dispenser and faucet in black PVD





Dallas–Fort Worth International Airport
Dallas, TX









Dallas-Fort Worth International Airport
Dallas, TX

Architect Louis Vidal Architects
Client DFW International Airport
Sector Transit

The Project
An expansion to the busy American Airlines terminal designed to reduce passenger stress and ease maintenance.

+ Heavy emphasis on technology
+ Ambitious concept with extensive custom design
+ Promote user flow and intuitive wayfinding


Products
+ Custom Monolith C Series with dual-height sinks and rear soap console
+ The Channel Collection soap dispenser, faucet, and hand dryer
+ 2nd Generation Soap System




Movement Society
Los Angeles, CA









Movement Society
Los Angeles, CA

Architect Some Studio LA
Client Movement Society
Sector Wellness

The Project
Adapt a subdivided 1930s warehouse to house a private training facility in LA's bustling Arts District.

+ Focus on easy-to-sanitize surfaces and spaces
+ Minimalist, coordinated aesthetic to complement existing architecture
+ Appeal to a youthful, health-driven clientele

Products
+ The Monolith A Series sink in Corian Domino Terrazzo
+ The Ribbon Collection soap dispenser and faucet with etched iconography
+ Combination unit in custom matte black powder coat
+ The Radius Collection grab bars, toilet paper holder, and coat hook in black PVD


Technical index




The Monolith A Series

Side


No pipeskirt
P. 50



Straight pipeskirt
PS1
P. 51





Angled pipeskirt
PS1
P. 51





The Monolith A Series

Above














Rear













The Monolith B Series

Side


No pipeskirt
P. 50



Straight pipeskirt
PS1
P. 51





Angled pipeskirt
PS1
P. 51





The Monolith B Series

Above













Rear










The Monolith C Series




Side

No pipeskirt
P. 50





Straight pipeskirt
PS1
P. 51





The Monolith C Series

Above













Rear











The Monolith D Series




Side

No pipeskirt
P. 50





Straight pipeskirt
PS1
P. 51





The Monolith D Series

Above













Rear













The Aerofoil


The Aerofoil
TSL.AERO
P. 50



PLAN



SECTION




ELEVATION




Faucets

Wall mounted

The Channel Faucet
TSL.C.050
P. 54




The Radius Faucet
TSL.882
P. 54




Faucets

Deck mounted

Radius Sensor Faucet / Large
TSL.960
P. 54




Radius Sensor Faucet / Small
TSL.990
P. 54



Deck mounted


The Ribbon Faucet
TSL.R.020
P. 54




Soap dispensers

Wall mounted

The Channel Soap Dispenser
TSL.C.040
P. 55




The Radius Soap Dispenser
TSL.470
P. 55




Deck mounted

The Ribbon Soap Dispenser
TSL.R.010
P. 55




Radius Sensor Soap Dispenser
TSL.420
P. 55




Hand drying

Motor powered

The Ribbon Dryer
TSL.R.030
P. 58




The Channel Dryer
TSL.C.060
P. 58




Motor powered

Radius Slim Wall-Mounted Dryer
TSL.8001
P. 58




Recessed Combination Unit / Dryer
TSL.LM9
P. 58



Hand drying


Motor powered

Air Fury Hand Dryer
LR89CS
P. 58




Paper towels

Wall Mounted Paper Towel Dispenser
TSL.735
P. 59





Paper towels

Recessed Combination Unit / Paper
TSL.LM8
P. 59



Recessed Combination Unit / Waste
TSL.LM11
P. 59







Accessories

Radius ADA Grab Bars
TSL.GR45.18
TSL.GR45.24
TSL.GR45.36
TSL.GR45.42
P. 62


TSL.GR.45.18




TSL.GR.45.24



TSL.GR.45.36




TSL.GR.45.42




Accessories


Radius Toilet Roll Holder / Single
TSL.45
P. 66




Radius Toilet Roll Holder / Double
TSL.46
P. 63





Radius Coat Hook
TSL.974
P. 63







Square Toilet Paper Dispenser
TSL.842
P. 64











Accessories


Toilet Seat Cover Dispenser
TSL.855
P. 64




Jumbo Toilet Paper holder
TSL.787
P. 64



Waste Receptacle
TSL.910
P. 63



Wall Mount Waste Bin
TSL.279
P. 64



Showrooms

USA
Los Angeles 8745 Washington
Blvd, Studio D
Culver City, CA 90232

E: info.usa@thesplashlab.com
T: 310 410 5008

United Kingdom
London 60-62 Clerkenwell Road,
Clerkenwell,
London EC1M 5PX

E: info.uk@thesplashlab.com
T: + 44 (0)161 482 7000

Offices

USA
Los Angeles
20809 Higgins Court
Torrance, CA, 90501

E: info.usa@thesplashlab.com
T: 310 410 5008

United Kingdom
Manchester
Meadow Industrial Estate
Stockport
SK1 2BX

E: info.uk@thesplashlab.com
T: + 44 (0)161 482 7000

International dealers

Australia
Aura Washrooms Strathpine,
Queensland 115 Railway Avenue,
Strathpine,
QLD, 4500

Tel: +61 (0) 7 3881 1350

Canada
Ardec Group Ancaster, ON 1433
Sandhill Drive
Ancaster, ON
L9G 4V5

Tel: 905 648 3809

thesplashlab.com/usa

@thesplashlabofficial @thesplashlab_ @thesplashlab

All things considered.